# Lenovo **ThinkPad**

# **ThinkPad Thunderbolt 4 Smart Dock Gen 2 7500**

Thunderbolt™ docking. Made smarter.



# Lenovo **ThinkPad**

# ThinkPad Thunderbolt 4 Smart Dock Gen 2 7500

# Thunderbolt™ docking. Made smarter.

Redesigned from the inside out, the ThinkPad Thunderbolt 4 Smart Dock Gen 2 7500 is built to power the modern professional. As the evolution of our first-generation Smart Dock, it now delivers sharper display performance, intelligent cloud-based manageability, and a seamless user experience—perfect for the hybrid workplace.

# Why you need ThinkPad Thunderbolt 4 Smart Dock Gen 2 7500



# **Intelligent cloud control**

Let your IT team take charge remotely with Lenovo Accessories Fleet Manager (LAFM), a cloud-based platform that makes managing your dock fleet as simple as a few clicks. System overviews, firmware updates, and diagnostics happen without interruptions, so your focus never breaks.



## **Unrivaled display & power**

Engineered for multitaskers, this dock supports up to 1 x 8K @ 60Hz or dual 4K @ 144Hz displays—ideal for ultra-detailed visuals and smooth refresh rates. Plus, with up to 100W of power via PD 3.1 and four always-on charging USB ports up front, it keeps your devices powered and productive.




## Sustainably designed

Crafted using 90% post-consumer recycled materials and shipped in 90% recycled, plastic-free packaging, this dock is as thoughtful as it is powerful. With its TÜV-certified low carbon footprint, it meets today's sustainability standards without compromising performance.











# ThinkPad Thunderbolt 4 Smart Dock Gen 2 7500



# **Specifications**

## **Performance**

# Display

2 x DP 1.4

1 x HDMI 2.1

1x Thunderbolt<sup>™</sup> 4<sup>1</sup> Full-Function

1 x 8K<sup>2</sup> @ 60Hz

2 x 4K<sup>2</sup> @ 144Hz

4 x 4K<sup>2</sup> @ 60Hz

#### **USB Ports**

2 x USB-A 3.2 Gen 2<sup>3</sup> (2 x AOU, 12W) 2 x USB-C<sup>1</sup> 3.2 Gen 2<sup>3</sup> (1 x AOU, 15W) 2 x USB-A 3.2 Gen 2<sup>3</sup> (5W)

1 x Thunderbolt<sup>™</sup> 4<sup>1</sup> (Full-Function, 15W)

#### Ethernet

RJ45, 2.5 Gbps

Support WOL, PXE Boot, MAC address pass-through on ThinkPad Notebooks

### Intel® Technology Certification

Intel® Evo™

## Power

PD 3.1, up to 100W Power Output

# **Design**

#### Dimension (W x D x H)

Dock

(mm) : 220 x 80 x 30 mm (inches): 8.66" x 3.15" x 1.18"

Packed

(mm) : 237.8 x 141 x 75.8 mm (inches) : 9.36" x 5.55" x 2.98"

#### Weight

Dock (with Cable)

Starting at 547.5 g (1.21 lbs)

#### Adapter

Starting at 353 g (0.78 lbs)

#### Packed

Starting at 1195 g (2.63 lbs)

#### ESG

90% PCC on Exterior Casing Plastic-free Packaging FSC Certified Packaging TÜV Carbon Footprint Certified

# **Information**

### Part Number (PN)

40BE0135xx4

#### **System Supported**

Windows 10 and Above

macOS Sequoia

macOS Sonoma

#### **IT Console**

Lenovo Accessories Fleet Manager (LAFM)

### **Cloud Service**

Amazon AWS

#### Warranty

3 Years

## Ship Group (What's in the Box)


Smart Dock with Integrated 1 m Thunderbolt™ 4 Cable

135W Power Adapter

User Guide & Warranty







<sup>&</sup>lt;sup>2</sup> The real resolution will depend on your PC and Monitor capability.

## accessorysmartfind.lenovo.com

Lenovo reserves the right to alter product offerings and specifications at any time, without notice. Lenovo makes every effort to ensure accuracy of all information but is not liable or responsible for any editorial, photographic, or typographic errors. All images are for illustration purposes only. For full Lenovo product, service, and warranty specifications, visit www.lenovo.com. Lenovo makes no representations or warranties regarding third-party products or services. **Trademarks:** The following are trademarks or registered trademarks of Lenovo: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkServer, ThinkStation, ThinkServer, ThinkVantage, and ThinkVision. Other company, product, and service names may be trademarks or service marks of others. Battery life (and recharge times) will vary based on many factors, including system settings and usage. Visit www.lenovo.com/lenovo/us/en/safecomp/ periodically for the latest information on safe and effective computing. ©2025 Lenovo. All rights reserved.



<sup>&</sup>lt;sup>3</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen 1; 10 Gbit/s for USB 3.1 Gen 2 & 20 Gbit/s for USB 3.2.

<sup>&</sup>lt;sup>4</sup> "xx" denotes a country code specific PN.